Fluid Phase Equilibria, 72 (1992) 331–332
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 72 (1992)

Volume 72

Correlation of ternary liquid–liquid equilibria using a modification of the Wilson equation
I. Nagata and T. Watanabe (Kanazawa, Japan) 1

An accelerated successive substitution method for calculation of saturation pressure of multicomponent fluids
D.-H. Xu, A. Danesh and A.C. Todd (Edinburgh, UK) 15

A cubic equation of state: relation between binary interaction parameters and infinite dilution activity coefficients
C.H. Twu, D. Bluck, J.R. Cunningham and J.E. Coon (Fullerton, CA, USA) 25

Construction and application of physically based equations of state. Part I. Modification of the BACK equation
B. Saager, R. Hennenberg and J. Fischer (Bochum, Germany) 41

Construction and application of physically based equations of state. Part II. The dipolar and quadrupolar contributions to the Helmholtz energy
B. Saager and J. Fischer (Bochum, Germany) 67

Application of approximations to mixture radial distribution functions to the development of mixing rules
M.-H. Li and Y.-L. Wang (Taiwan, Republic of China) 89

A group contribution equation of state for polar and non-polar compounds
C. Lermite and J. Vidal (Rueil-Malmaison, France) 111

Prediction of the excess heat capacities of 1-alkanol + alkane systems on the basis of pure-liquid properties
K. Moorthi and I. Nagata (Kanazawa, Japan) 131

Thermodynamics of associated solutions containing aniline and methanol
I. Nagata and M. Sano (Ishikawa, Japan) 147

The equilibrium phase properties of the methanol–hydrogen sulfide binary system
A.-D. Leu, J.J. Carroll and D.B. Robinson (Edmonton, Alta., Canada) 163

The influence of pressure and temperature on the phase behaviour of the system $H_2O + C_{12} + C_7E_5$ and relevant binary subsystems
C.L. Sassen, A. Gonzalez Casielles, Th.W. de Loos and J. de Swaan Arons (Delft, The Netherlands) 173

Measurement and modeling of phase equilibria with synthetic multicomponent mixtures
C.P. Angelos, S.V. Bhagwat and M.A. Matthews (Laramie, WY, USA) 189

Polarizability and molecular radius of bromoform and hydrocarbon liquids
T.M. Aminabhavi, M.I. Aralaguppi, S.B. Harogoppad and R.H. Balundgi (Dharwad, India) 211

Vapor–liquid equilibrium from infinite dilution activity coefficients: measurement and prediction of oxygenated fuel additives with alkanes
K.A. Pividal, C. Sterner, S.I. Sandler and H. Orbey (Newark, DE, USA) ... 227

Measurements and calculations of phase equilibria in binary mixtures of propane + tetratriacontane
C.J. Peters, J.L. de Roo and J. de Swaan Arons (Delft, The Netherlands) .. 251

Analysis of the n-component n-phase equilibrium extremum problem
C.L. Patton, K.A. Green and K.D. Luks (Tulsa, OK, USA) 267

Thermodynamic solubility behavior of carbon dioxide in acetone
F.W. Giacobbe (Countryside, IL, USA) 277

The influence of anhydrous cupric chloride on the nature of the interactions between bromoform and 1,4-dioxane
P.P. Singh and S. Maken (Rohtak, India) 299

Measurements on the phase behavior of binary mixtures for modeling the condensation behavior of natural gas. Part II. The system methane + dodecane
M.P.W.M. Rijkers, V.B. Maduro, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 309

Short Communication

A new expression of $q(\alpha)$ for the modified Huron–Vidal method
G. Soave (San Donato Milanese, Italy) 325

Author Index 329
Contents of Volume 72 (1992) 331